

REMARKS

Claims 1 and 2 have been amended to correct a typographical error. No new matter has been added.

More particularly, the original claims 1 and 2 recited a dimension of "0.4 μm ," consistent with the recitations in the original specification:

Page 5, four lines from the end;

Page 6, eight lines from the end;

Page 10, line 4 (and compare lines 4-5 "at least 0.4 μm and preferably at least 1 μm ...");

Page 10, line 15;

In the original claims, at page 18, claim 1 at line 12; and

Page 19, claim 2 at line 7.

It is submitted that the recitations in claims 1 and 2 in the Amendment filed March 16, 2005 of "0.4 mm" were clearly an error and inadvertent.

In an attached "Comment on the Examiner's Statement of Reasons for Allowance," the errors of "0.4 mm" in the respective paragraphs addressing claims 1 and 2, at line 5 of each, as well should be corrected to -- 0.4 μm --.

The foregoing errors in the claims could not have been corrected earlier since they were first noted when reviewing the claims in light of the issuance of the Notice of Allowance herein.


Accordingly, approval and entry of the amended claims 1 and 2 are respectfully requested.

If there are any additional fees associated with filing of this Amendment, please charge the same to our Deposit Account No. 19-3935.

Respectfully submitted,

STAAS & HALSEY LLP

Date: Aug. 5, 2005

By: 
H. J. Staas
Registration No. 22,010

1201 New York Avenue, NW, Suite 700
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501